

# Multi-family Residential & Hospitality Lighting

LED Lighting Catalog 2019-20



**ikio**  
LED LIGHTING

Delivering Excellence. Brightening Lives.





[www.ikioledlighting.com](http://www.ikioledlighting.com)


# Who Are We

---

IKIO is a leading manufacturer of LED Lighting Solutions with operations in the United States, Canada, Mexico, India, China and UAE. We are uniquely positioned to offer the right solutions and value for your LED lighting requirements with our holistic approach and vertically integrated infrastructure.



## Some Interesting Facts



With a proud legacy of over 3 decades, IKIO has come a long way to become one of the leading LED lighting solutions provider in the global market. We here at IKIO, are actively spearheading innovation in the lighting revolution through our consistent focus on R&D and operational excellence. This endeavor of ours has resulted in the development of products that are changing the landscape of the lighting industry and the road map towards energy conservation. With a wide range of products under its umbrella, IKIO has developed a plethora of lighting solutions for Commercial, Industrial, Multi-Family Residential & Hospitality, Horticulture, Hazardous Location & Solar lighting applications. IKIO boasts of a fully integrated manufacturing infrastructure, capable of producing ingenious LED lighting products consistently. Our six manufacturing plants have a combined manufacturing capacity of over 10 million fixtures annually. Our strong belief in 'quality over everything' is demonstrated not only by our quality certifications like ISO 9001, ISO 14000 and ISO 18001 but also by the near zero in-process rejection rate of less than .68%.



# What Do We Do

---

With over 1200 Rebate eligible products, IKIO successfully caters to the Commercial, Industrial, Multi-Family Residential & Hospitality, Horticulture, Hazardous Location & Solar lighting markets. Additionally, a wide range of customizable IKIO products further enhance the range of their applications. Value-engineered at every level, our products are innovative, reliable and cost-effective to deliver only the best to our customers.



# A global manufacturer of ingenious LED lighting solutions.

## Commercial Lighting

What makes lighting one of the most important aspects of any commercial establishment is the fact that it can have a direct impact on the most crucial dimensions of buying decisions like value, aesthetics, performance and user experience. We understand the growing needs of not just cost optimization and value engineering in commercial applications, but also the importance of performance improvement and an expansion of the scope of applications.



## Industrial Lighting

Having an optimum lighting solution for an industrial space is prudent to ensure the safety of workers, enhance work productivity while ensuring efficiency in costs. The varied scope of innovative applications in the industrial sector makes this segment unique. At IKIO, we are always striving to be ahead on the innovation curve, ensuring that you get the right product offering and the right value for all your industrial lighting requirement.



## Multi-Family Residential & Hospitality Lighting

Years of research has shown that indoor light and its quality has a significant influence on our mood and our ability to feel relaxed. At home, our lighting efforts aren't just driven by cost effectiveness, but more importantly by the preservation of colors and liveliness.



## Horticulture Lighting

The explosive growth in the horticulture industry has upped the requirement of horticulture lights exponentially. LEDs add remarkable advantages in this application with their energy and water savings while actively achieving higher plant growth rates.

## Hazardous Location Lighting

Industrial areas with harsh and hazardous environments potentially contain explosive gases and vapors which calls for a special form of lighting. One, that reduces the risk of explosions in these areas by containing any spark within its housing. Explosion-proof lights also called Hazard Location lighting, ensure the safety of not just the workers, but also businesses.

## Solar Lighting

The outstanding efficiency of LED lights make them perfect for solar lighting applications. These lights are virtually free of operational energy costs as they derive their electricity from cells powered by the sun. Another interesting aspect of these lights are the sensors and remote controls that come on board, making them easier to operate.

Lorem ipsum

# We Are Different

Innovation Through Collaboration, Delivery With Integrity.

These are the values that keep us engaged with the industry developments and meet your expectations consistently.

## Collaboration



Collaboration with all stakeholders to stay in touch with market gaps, industry feedbacks and global trends.

## Innovation



Consistent, continuous and sustainable innovation.

## Honesty



Absolute dedication towards honesty, transparency and integrity.





## Right Product. Unbeatable Value. Maximum Innovation.

Every single product under IKIO's umbrella is brought to you after years of research, fine tuning, value engineering, impeccable series of performance testing and a plethora of qualifications and certifications.

### Faster Payback

Exceptional Efficacy Through Innovation.



### Long Life

Commitment of Quality, Durability and Reliability.

### Industry Leading Warranty

5, 7 and 10 Year Warranty With Options To Extend To 20 Years.



### Highly Value Engineered

Great Value With Uncompromising Performance.

### Research & Design in the USA

All Products Proudly Researched And Designed In The USA.



### Certified for Quality

Products With Major Quality Certifications That Are Eligible For Rebates.



# Our Manufacturing

---

IKIO boasts of six world-class manufacturing and R&D facilities across the US, India and China. These state-of-the-art facilities are not just equipped with sophisticated machinery, but also run by highly qualified professionals who manage processes in accordance with international standards.





**IKIO Corporate Office**

Indianapolis, Indiana, USA



**IKIO Noida Plant**

Noida, Uttar Pradesh, INDIA



**IKIO Haridwar Plant 1**

Haridwar, Uttarakhand, INDIA



**IKIO Haridwar Plant 2**

Haridwar, Uttarakhand, INDIA



**IKIO Dongguan Plant**


Dongguan, China

- Annual manufacturing capacity of over 10 million fixtures.
- 6 Manufacturing plants with a combined area of over 2.5 million sqft.
- Development of comprehensive energy-saving solutions using lean systems.
- Continuous and consistent focus on R&D with the help of a world-class team of engineers.
- Vertically integrated manufacturing setup with in-house automated powder coating and injection molding facilities.
- In-process rejection rate < 0.68%.
- Major quality certifications like ISO 9001, 14000 & 18001, and OHSAS.
- Stringent and no-compromise quality testing and analysis using spectrometer, goniophotometer, thermal chambers, LCR meter, isolation tester, etc.



A photograph of a modern living room interior. The room features large, floor-to-ceiling windows that offer a view of a city skyline at dusk. The walls are a warm, neutral tone. In the foreground, a light-colored sectional sofa with several pillows is visible. A floor lamp with a cylindrical shade stands to the right of the sofa. The overall atmosphere is warm and comfortable.

WARMTH,  
COMFORT &  
TRANQUILITY.

A dimly lit living room with a large abstract painting on the wall and a sofa in the foreground. The lighting is warm and focused, creating a cozy atmosphere.

Years of research have proven that indoor light and its quality have a significant influence on our mood and our ability to feel relaxed.

---

At home, your lighting efforts aren't just driven by cost-effectiveness but more importantly by the preservation of colors and liveliness. IKIO's Multi-family Residential and Hospitality Lighting Solutions aim to make the switch to LED lighting an easy task.

In the present day, energy consciousness among homeowners has enabled the drastic rise of LED lighting solutions in America. Besides being a good samaritan with its significant energy efficiency, they have a long life-span which is not affected by frequent switch on-offs. Most importantly, they are void of hazardous materials like mercury (most CFLs contain mercury) and certified by RoHS which ensures that your homes are free of indoor pollution from lights.





# Contents

---

LED DOWNLIGHTS	14 – 23
LED CEILING LIGHTS	24 – 36
LED VANITY LIGHTS	37 – 40
LED UNDER CABINET LIGHTS	41 – 42
LED WALL SCONCE	43 – 54
LED OUTDOOR CEILING LIGHTS	55 – 58
LED BULK HEADS	59 – 63
LED UP – DOWN LIGHTS	64 – 72
LED WALL LANTERNS	73 – 89
LED WALL LIGHTS	90 – 97
LED PORCH LIGHTS	98 – 102
LED OUTDOOR DOWNLIGHTS	103 – 106



# LED Downlights

---

- | CCT Tunable Downlights
- | Recessed Retrofit Downlights
- | Recessed Retrofit J-box Downlights
- | Recessed Retrofit DOB Downlights
- | Recessed Retrofit Panel Downlights






## Taz

### CCT Tunable Downlight (Round)


The Taz CCT Tunable Round LED Downlight is designed to allow its users greater light control. Housed in aluminium this recessed retrofit fixture is finished in architectural white. It is engineered to deliver a superior 90+ CRI and three color choices controlled by its switch. Rated for damp locations, this fixture comes with a warranty of 5 years.



### Product Features

	75 lm/W
	50,000 Hours
	120 V or 277 V, 50 / 60 Hz
	90+
	Tunable CCTs 3000 K, 4000 K, 5000 K

### Product Dimensions



Wattage	A(in)	B(in)	C(in)
8 W	4.00	2.78	0.96
12 W - 15 W	6.00	2.78	0.96

### Product Specifications

Size	Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
4 in	8 W	600 lm	75 lm/W
6 in	12 W	900 lm	75 lm/W
6 in	15 W	1125 lm	75 lm/W








# Ortus

## Recessed Retrofit Downlight


The Ortus Recessed Retrofit LED Downlight is housed in aluminum and finished in architectural white. It is designed to deliver a superior 90+ CRI and is dimmable to a minimum of 10%. Rated for damp locations, this fixture comes with a warranty of 5 years.



### Product Features

	75 lm/W
	50,000 Hours
	120 V or 277 V, 50 / 60 Hz
	90+
	2700 K - 5000 K

### Product Dimensions



Wattage	A(in)	B(in)	C(in)
8 W - 10 W	5.08	2.88	1.20
12 W - 15 W	7.36	3.00	1.81

### Product Specifications

Size	Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
4 in	8 W	600 lm	75 lm/W
4 in	10 W	750 lm	75 lm/W
6 in	12 W	900 lm	75 lm/W
6 in	15 W	1125 lm	75 lm/W

## RECESSED RETROFIT DOWNLIGHTS

# Quadrum

## Recessed Retrofit Downlight


The Quadrum Recessed Retrofit Downlight is a square recessed plug-and-play fixture. Housed in aluminum, it is finished in architectural white. It is designed to deliver a stunning 90+ CRI and is dimmable to a minimum of 5%. It is rated for damp locations.



### Product Features

Lumen/Watt	75 lm/W
Hours	50,000 Hours
Voltage	120 V or 277 V, 50 / 60 Hz
CRI	90+
CCT	2700 K - 5000 K

### Product Dimensions



Wattage	A(in)	B(in)	C(in)
8 W - 10 W	5.00	2.32	0.98
12 W - 15 W	7.84	3.15	0.96

### Product Specifications

Size	Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
4 in	8 W	600 lm	75 lm/W
4 in	10 W	750 lm	75 lm/W
6 in	12 W	900 lm	75 lm/W
6 in	15 W	1125 lm	75 lm/W

## RECESSED RETROFIT J-BOX DOWNLIGHTS






# Ortus

## Recessed Retrofit J-Box Downlight


The Ortus Recessed Retrofit J-Box Downlight is built with an integral junction box that eliminates the requirement of a recessed housing during new constructions and retrofit installations. It is designed to deliver a superior 80+ CRI and dims minimum of 10%. Rated for damp locations, this fixture comes with a warranty of 5 years.



### Product Features

	70 lm/W
	50,000 Hours
	120 V or 277 V, 50 / 60 Hz
	80+
	2700 K - 5000 K

### Product Dimensions



Wattage	A(in)	B(in)	C(in)
10 W	5.08	1.67	2.88
15 W	7.36	1.81	3.35
25 W - 30 W	7.72	5.52	-
40 W - 50 W	9.72	5.52	-

### Product Specifications

Size	Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
4 in	10 W	700 lm	70 lm/W
6 in	15 W	1350 lm	70 lm/W
8 in	25 W	1750 lm	70 lm/W
8 in	30 W	2100 lm	70 lm/W
10 in	40 W	2800 lm	70 lm/W
10 in	50 W	3500 lm	70 lm/W

## RECESSED RETROFIT J-BOX DOWNLIGHTS






# Quadra

## Recessed Retrofit J-Box Downlight


The Quadra Recessed Retrofit J-Box Downlight is housed in aluminum and features an integral junction box. This square retrofit downlight is an easy and economical fixture designed to deliver a superb 80+ CRI and is dimmable to a minimum of 10%. Rated for damp locations, this fixture comes with a warranty of 5 years.



### Product Features

	70 lm/W
	50,000 Hours
	120 V or 277 V, 50 / 60 Hz
	80+
	2700 K - 5000 K

### Product Dimensions



Wattage	A(in)	B(in)	C(in)
10 W	5.00	2.80	2.93
15 W	7.48	2.80	3.54

### Product Specifications

Size	Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
4 in	10 W	700 lm	70 lm/W
6 in	15 W	1350 lm	70 lm/W






# Ortus

## Recessed Retrofit DOB Downlight


The Ortus Recessed Retrofit DOB Downlight Round is housed in aluminum and finished in architectural white. This unique plug-and-play fixture features a driver on board for a flicker-free lighting experience. It is designed to deliver a stunning 90+ CRI and is dimmable to a minimum of 10%. Rated for damp locations, this fixture comes with a warranty of 5 years.



### Product Features

	70 lm/W
	50,000 Hours
	120 V or 277 V, 50 / 60 Hz
	90+
	2700 K - 5000 K

### Product Dimensions



Wattage	A(in)	B(in)	C(in)	D(in)
8 W - 10 W	5.08	2.08	0.4	-
12 W - 15 W	7.36	2.20	4.13	1.80

### Product Specifications

Size	Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
4 in	8 W	560 lm	70 lm/W
4 in	10 W	700 lm	70 lm/W
6 in	12 W	840 lm	70 lm/W
6 in	15 W	1050 lm	70 lm/W



## RECESSED RETROFIT PANEL DOWNLIGHT






# Orbis

## Recessed Retrofit Panel Downlight


IKIO's Orbis Recessed Retrofit Panel Downlights are versatile and easy-to-install lights ideal for shallow ceiling voids. It comes with the added advantage of being maintenance-free in the long-run. These dimmable lights are available in attractive finishes of black, white and brushed nickel.



### Product Features

	65 lm/W
	50,000 Hours
	120 V or 277 V, 50 / 60 Hz
	80+ / 90+
	3000 K - 5000 K

### Product Dimensions



Wattage	A(in)	B(in)	C(in)	D(in)
13 W	6-5/16	7	7/8	7/16
15 W - 18 W	8	8-3/4	7/8	7/16

### Product Specifications

Size	Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
7 in	13 W	845 lm	65 lm/W
8 in	15 W	975 lm	65 lm/W
8 in	18 W	1170 lm	65 lm/W





# LED Ceiling Lights

---

- | Disk Ceiling Lights
- | Ceiling Lights
- | Panel Ceiling Lights
- | Puff Ceiling Lights

## Dario

### Disk Ceiling Light


The IKIO Dario Disk Ceiling Light is designed with a sleek silhouette, for applications in kitchens, hallways and entryways. It is an efficient alternative to traditional fluorescents and incandescents. This dimmable lamp is offered in attractive finishes and comes with variable CCTs (3000 K, 4000 K, 5000 K), controlled by the switch.



### Product Features

Lumen/Watt	65 lm/W
Hours	50,000 Hours
Voltage	120 V - 277 V, 50 / 60 Hz
CRI	80+ / 90+
CCT	3000 K - 5000 K

### Product Dimensions



Wattage	A(in)
9 W - 12 W	6
12 W	8
12 W - 20 W	11
20 W - 35 W	15

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
9 W	585 lm	65 lm/W
12 W	780 lm	65 lm/W
15 W	975 lm	65 lm/W
17 W	1105 lm	65 lm/W
20 W	1300 lm	65 lm/W
26 W	1690 lm	65 lm/W
35 W	2275 lm	65 lm/W








# Caravio

## Round Ceiling Light


The IKIO Caravio Round Ceiling Light is an efficient alternative to traditional fluorescents and incandescents. It is designed with two Brushed Nickel / Oil-rubbed Bronze bands and a White Acrylic Diffuser bowl. It is ideal for applications in kitchens, hallways and entryways. This dimmable lamp is offered in attractive finishes and comes with variable CCTs (3000 K, 4000 K, 5000 K), controlled by the switch.



### Product Features

	65 lm/W
	50,000 Hours
	120 V - 277 V, 50 / 60 Hz
	80+ / 90+
	3000 K - 5000 K

### Product Dimensions



Wattage	A(in)
12 W - 20 W	10 / 12
20 W / 26 W / 35 W	14
26 W / 35 W / 40 W	16
26 W / 35 W / 40 W / 50 W	24

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
12 W	780 lm	65 lm/W
15 W	975 lm	65 lm/W
17 W	1105 lm	65 lm/W
20 W	1300 lm	65 lm/W
26 W	1690 lm	65 lm/W
35 W	2275 lm	65 lm/W
40 W	2600 lm	65 lm/W
50 W	3250 lm	65 lm/W

## Caravio

### Oval Ceiling Light


The IKIO Caravio Oval Ceiling Light is an efficient alternative to traditional fluorescents and incandescents. It is designed with two Brushed Nickel / Oil-rubbed Bronze bands and an oval white Acrylic Diffuser bowl. It is ideal for applications in kitchens, hallways and entryways. This dimmable lamp is offered in attractive finishes and comes with variable CCTs (3000 K- 5000 K).



### Product Features

Lumen/Watt	65 lm/W
Hours	50,000 Hours
Voltage	120 V - 277 V, 50 / 60 Hz
CRI	80+ / 90+
CCT	3000 K - 5000 K

### Product Dimensions



Wattage	A(in)	B(in)	C(in)
35 W - 55 W	32.36	18.26	4.19

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
35 W	2275 lm	65 lm/W
40 W	2600 lm	65 lm/W
55 W	3575 lm	65 lm/W






# Ovalis

## Ceiling Light


The IKIO Ovalis Ceiling Light is designed and built with a minimalist look. It features three hooks finished in Brushed Nickel / Oil-rubbed Bronze / Brass, holding the Alabaster Glass Diffuser in place. This dimmable lamp is offered in attractive finishes and comes with variable CCTs (3000 K, 4000 K, 5000 K).



## Product Features

	65 lm/W
	50,000 Hours
	120 V - 277 V, 50 / 60 Hz
	80+ / 90+
	3000 K - 5000 K

## Product Dimensions



Wattage	A(in)	B(in)
12 W - 17 W	12	4
17 W - 26 W	16	4

## Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
12 W	780 lm	65 lm/W
15 W	975 lm	65 lm/W
17 W	1105 lm	65 lm/W
20 W	1300 lm	65 lm/W
26 W	1690 lm	65 lm/W






# Nimbus 1

## Ceiling Light


The IKIO Nimbus 1 Ceiling Light is an efficient alternative to traditional fluorescents and incandescents. It is designed and built to look like a minimalist circline fluorescent tube flush mount fixture, while providing its users significant energy savings. This dimmable lamp is offered in attractive finishes and comes with variable CCTs (3000 K, 4000 K, 5000 K).



## Product Features

	65 lm/W
	50,000 Hours
	120 V - 277 V, 50 / 60 Hz
	80+ / 90+
	3000 K - 5000 K

## Product Dimensions



Wattage	A(in)	B(in)
12 W - 15 W	7.5	4.5

## Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
12 W	780 lm	65 lm/W
15 W	975 lm	65 lm/W






# Nimbus 2

## Ceiling Light

The IKIO Nimbus 2 Ceiling Light is designed to offer a classic look of traditional circline fluorescent tube flush mount fixtures while being significantly efficient. This dimmable lamp is offered in attractive finishes and comes with variable CCTs (3000 K, 4000 K, 5000 K).




### Product Features

	65 lm/W
	50,000 Hours
	120 V - 277 V, 50 / 60 Hz
	80+ / 90+
	3000 K - 5000 K



### Product Dimensions



Wattage	A(in)	B(in)
12 W / 15 W	11	4.5
12 W / 15 W / 20 W	13	4.5

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
12 W	780 lm	65 lm/W
15 W	975 lm	65 lm/W
20 W	1300 lm	65 lm/W

## Quadrin Ceiling Light


The IKIO Quadrin Ceiling Light is an efficient alternative to traditional fluorescents. It features a low-profile design with subtle curves and edges. This dimmable lamp is offered with a 5-Year Warranty and comes with multiple CCT (3000 K, 4000 K, 5000 K) options controlled by its switch.



### Product Features

Lumen/Watt	70 lm/W
Hours	50,000 Hours
Voltage	120 V - 277 V, 50 / 60 Hz
CRI	80+ / 90+
CCT	3000 K - 5000 K

### Product Dimensions



Wattage	A(in)	B(in)
17 W	12	3.25
26 W - 40 W	14	3.25
40 W - 55 W	19	3.25

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
17 W	1190 lm	70 lm/W
26 W	1820 lm	70 lm/W
35 W	2450 lm	70 lm/W
40 W	2800 lm	70 lm/W
55 W	3850 lm	70 lm/W








# Discuz

## Round Panel Ceiling Light


The IKIO Discuz Round Panel Ceiling Light is an efficient disc lamp, designed and built with a minimalist look, finished in Black / White Powder-Coated Paint and Brushed Nickel. This dimmable lamp is offered with a 5-Year Warranty and comes with multiple CCT (3000 K, 4000 K, 5000 K) variants.



## Product Features

	80 lm/W
	50,000 Hours
	120 V - 277 V, 50 / 60 Hz
	80+ / 90+
	3000 K - 5000 K

## Product Dimensions



Wattage	A(in)	B(in)
12 W	9	1.125
15 W	11	1.125
20 W	13	1.125

## Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
12 W	960 lm	80 lm/W
15 W	1200 lm	80 lm/W
20 W	1600 lm	80 lm/W

## Druma 1

### Puff Ceiling Light

The IKIO Druma 1 Puff Ceiling Light is an efficient alternative to traditional fluorescents and incandescents. It is designed and built with a classic look of traditional circline fluorescent tube flush mount fixtures while being significantly efficient. This dimmable lamp is offered in attractive finishes and comes with variable CCTs (3000 K, 4000 K, 5000 K).




### Product Features

Lumen/Watt	75 lm/W
Hours	50,000 Hours
Voltage	120 V - 277 V, 50 / 60 Hz
CRI	80+ / 90+
CCT	3000 K - 5000 K



### Product Dimensions



Wattage	A(in)	B(in)
15 W - 17 W	11	3
17 W - 26 W	14	3

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
15 W	1125 lm	75 lm/W
17 W	1275 lm	75 lm/W
20 W	1500 lm	75 lm/W
26 W	1950 lm	75 lm/W

# Druma 2

## Puff Ceiling Light

The IKIO Druma 2 Puff Ceiling Light is an efficient alternative to legacy fixtures. It features a low-profile design with a subtle vertical character. This dimmable lamp is offered with a 5-Year Warranty and comes with multiple CCT (3000 K, 4000 K, 5000 K) options controlled by its switch.




5 Year  
Warranty

### Product Features

Lumen/Watt	70 lm/W
Hours	50,000 Hours
Voltage	120 V - 277 V, 50 / 60 Hz
CRI	80+ / 90+
CCT	3000 K - 5000 K

### Product Dimensions



Wattage	A(in)	B(in)
9 W	6	3
15 W - 17 W	11	3
17 W - 26 W	14	3

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
9 W	630 lm	70 lm/W
15 W	1050 lm	70 lm/W
17 W	1190 lm	70 lm/W
20 W	1400 lm	70 lm/W
26 W	1820 lm	70 lm/W






# Stratos

## Puff Ceiling Light


The IKIO Stratos Puff Ceiling Light is designed to provide a cloud of soft and even illumination from a contemporary styled Acrylic Diffuser. It is ideally suited for areas that would aesthetically benefit from a sober, evenly distributed light. Its high CRI, dimming abilities and variable CCT controls make it ideal for residential applications.



### Product Features

	90 lm/W
	50,000 Hours
	120 V - 277 V, 50 / 60 Hz
	90+
	3000 K - 5000 K

### Product Dimensions



Wattage	A(in)	B(in)
25 W - 50 W	27 / 51	11

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
25 W	2250 lm	90 lm/W
40 W	3600 lm	90 lm/W
50 W	4500 lm	90 lm/W

# LED Vanity Lights

---



# Vanitas 1

## Vanity Light

The IKIO Vanitas 1 is an efficient vanity lighting alternative to traditional fluorescents. It features a low-profile design with subtle curves and edges. This dimmable lamp is offered with a 5-Year Warranty and comes with multiple CCT (3000 K, 4000 K, 5000 K) options controlled by its switch.



### Product Features

Lumen/Watt	80 lm/W
Hours	50,000 Hours
Voltage	120 V - 277 V, 50 Hz / 60 Hz
CRI	80+ / 90+
CCT	3000 K - 5000 K

### Product Dimensions



Wattage	A(in)	B(in)	C(in)
25 W	24	5.25	4
36 W	36	5.25	4
40 W	48	5.25	4

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
25 W	2000 lm	80 lm/W
36 W	2880 lm	80 lm/W
40 W	3200 lm	80 lm/W



# Vanitas 2

## Vanity Light

The IKIO Vanitas 2 is an efficient vanity lighting alternative to traditional fluorescents. It is designed and built with a minimalist look, with three Brushed Steel decorative end rings. This dimmable lamp comes with variable CCTs (3000 K, 4000 K, 5000 K).



5 Year  
Warranty

Lumen/Watt

90 lm/W

Hours

50,000 Hours

Voltage

120 V - 277 V, 50 Hz / 60 Hz

CRI

80+ / 90+

CCT

3000 K - 5000 K

### Product Dimensions



Wattage	A(in)	B(in)	C(in)
25 W	24	5.25	4
36 W	36	5.25	4
40 W	48	5.25	4

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
25 W	2250 lm	90 lm/W
36 W	3240 lm	90 lm/W
40 W	3600 lm	90 lm/W

# Vanitas 3

## Vanity Light


The IKIO Vanitas 3 is an efficient vanity lighting alternative to traditional fluorescents. It is designed and built with a minimalist look, with Brushed Nickel / Oil-Rubbed Bronze decorative end caps. This dimmable lamp comes with variable CCTs (3000 K, 4000 K, 5000 K).



## Product Features

Lumen/Watt	90 lm/W
Hours	50,000 Hours
Voltage	120 V - 277 V, 50 Hz / 60 Hz
CRI	80+ / 90+
CCT	3000 K - 5000 K

## Product Dimensions



Wattage	A(in)	B(in)	C(in)
25 W	24	4.25	5.87
36 W	36	4.25	5.87
40 W	48	4.25	5.87

## Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
25 W	2250 lm	90 lm/W
36 W	3240 lm	90 lm/W
40 W	3600 lm	90 lm/W

# LED Under Cabinet Lights

---



# Urso

## Under Cabinet Light


The IKIO Urso Under Cabinet Light is designed for applications under kitchen counters, cabinets and shelving. An efficient alternative to both fluorescent and xenon undercabinet lights, this LED fixture comes with a narrow profile enabling them to be concealed effortlessly. Additionally, this high CRI fixture produces an even illumination, reducing the effect of glare considerably.



### Product Features

Lumen/Watt	80 lm/W
Hours	50,000 Hours
Voltage	120 V - 277 V, 50 Hz / 60 Hz
CRI	90+
CCT	3000 K - 5000 K

### Product Dimensions



Wattage	A(in)	B(in)	C(in)
4 W	9	2.75 / 3.5	1
5 W	12	2.75 / 3.5	1
8 W	18	2.75 / 3.5	1
9 W	21	2.75 / 3.5	1
10 W	24	2.75 / 3.5	1
15 W	33	2.75 / 3.5	1
20 W	42	2.75 / 3.5	1
20 W	46	2.75 / 3.5	1

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
4 W	320 lm	80 lm/W
5 W	400 lm	80 lm/W
8 W	640 lm	80 lm/W
9 W	720 lm	80 lm/W
10 W	800 lm	80 lm/W
15 W	1200 lm	80 lm/W
20 W	1600 lm	80 lm/W

# LED Wall Sconce

---





# Cylindro 1

## Wall Sconce

The IKIO Cylindro 1 Wall Sconce is an efficient sconce lighting alternative to traditional fluorescents. It is designed and built with a minimalist look, with two horizontal Brushed Nickel / Oil-Rubbed Bronze decorative rings at its top and bottom. This dimmable lamp comes with variable CCTs (3000 K, 4000 K, 5000 K).




### Product Features

Lumen/Watt	70 lm/W
Hours	50,000 Hours
Voltage	120 V - 277 V, 50 Hz / 60 Hz
CRI	80+ / 90+
CCT	3000 K - 5000 K



### Product Dimensions



Wattage	A(in)	B(in)
12 W - 17 W	7.44	12.25

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
12 W	840 lm	70 lm/W
15 W	1050 lm	70 lm/W
17 W	1190 lm	70 lm/W

## Cylindro 2

### Wall Sconce

The IKIO Cylindro 2 Wall Sconce is an efficient sconce lighting alternative to traditional fluorescents. It is designed and built with a minimalist look, with Brushed Nickel / Oil-Rubbed Bronze decorative end caps. This dimmable lamp comes with variable CCTs (3000 K, 4000 K, 5000 K).



### Product Features



70 lm/W



50,000 Hours



120 V - 277 V, 50 Hz / 60 Hz




80+ / 90+



3000 K - 5000 K

### Product Dimensions



Wattage	A(in)	B(in)
9 W - 17 W	7	9.87

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
9 W	630 lm	70 lm/W
12 W	840 lm	70 lm/W
17 W	1190 lm	70 lm/W

# Cylindro 3

## Wall Sconce


The IKIO Cylindro 3 Wall Sconce is an efficient sconce lighting alternative to traditional fluorescents. It features a contemporary design with smooth Frosted Glass Diffuser held at its center by a Brushed Nickel / Oil-Rubbed Bronze arm. This dimmable lamp is offered with two CCT variants (3000 K, 4000 K).



## Product Features

Lumen/Watt	70 lm/W
Hours	50,000 Hours
Voltage	120 V - 277 V, 50 Hz / 60 Hz
CRI	80+ / 90+
CCT	3000 K, 4000 K

## Product Dimensions



Wattage	A(in)	B(in)	C(in)
12 W - 17 W	17.44	4.74	4

## Product Specifications






Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
12 W	840 lm	70 lm/W
17 W	1190 lm	70 lm/W

## Arco 1 Wall Sconce


The IKIO Arco 1 Wall Sconce is an efficient sconce light, designed and built with a minimalist look, with Brushed Nickel / Oil-Rubbed Bronze hooks that support its Frosted Glass Diffuser. This dimmable lamp comes with variable CCTs (3000 K, 4000 K, 5000 K).



### Product Features

	70 lm/W
	50,000 Hours
	120 V - 277 V, 50 Hz / 60 Hz
	80+ / 90+
	3000 K - 5000 K

### Product Dimensions



Wattage	A(in)	B(in)
12 W - 15 W	7.44	12.25

### Product Specifications






Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
12 W	840 lm	70 lm/W
15 W	1050 lm	70 lm/W

## Arco 2 Wall Sconce


The IKIO Arco 2 Wall Sconce is an efficient sconce lighting alternative to traditional sconces. It is designed and built with a timeless look, with 2 Brushed Nickel / Oil-Rubbed Bronze supports that hold its Frosted Glass Diffuser. This dimmable lamp is offered with two CCT variants (3000 K, 4000 K).



### Product Features

	70 lm/W
	50,000 Hours
	120 V - 277 V, 50 Hz / 60 Hz
	80+ / 90+
	3000 K, 4000 K

### Product Dimensions



Wattage	A(in)	B(in)
9 W - 12 W	8.25	8

### Product Specifications






Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
9 W	630 lm	70 lm/W
12 W	840 lm	70 lm/W

## Arco 3 Wall Sconce


The IKIO Arco 3 Wall Sconce is an efficient sconce lighting. It features a low profile look with a smooth frosted glass diffuser complete with two Satin Nickel Steel edge covers. This dimmable lamp comes with a brilliant CRI and two CCT variants.



### Product Features

	70 lm/W
	50,000 Hours
	120 V - 277 V, 50 Hz / 60 Hz
	80+ / 90+
	3000 K, 4000 K

### Product Dimensions



Wattage	A(in)	B(in)
6 W - 12 W	8	5.87

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
6 W	420 lm	70 lm/W
9 W	630 lm	70 lm/W
12 W	840 lm	70 lm/W








## Arco 4 Wall Sconce


The IKIO Arco 4 Wall Sconce is a timeless light fixture with a high efficiency light source. It features a minimalist look with its arched frosted glass diffuser with two Satin Nickel Steel pins at its top and bottom. This dimmable lamp is offered with two CCT variants and a 5-Year warranty.



### Product Features

	70 lm/W
	50,000 Hours
	120 V - 277 V, 50 Hz / 60 Hz
	80+ / 90+
	3000 K, 4000 K

### Product Dimensions



Wattage	A(in)	B(in)
6 W - 12 W	7.87	7.87

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
6 W	420 lm	70 lm/W
9 W	630 lm	70 lm/W
12 W	840 lm	70 lm/W






# Hemis 1

## Wall Sconce


The IKIO Hemis 1 Wall Sconce is an efficient sconce lighting alternative to traditional fluorescents. It is designed and built with a timeless look, with Brushed Nickel / Oil-Rubbed Bronze base which supports its Frosted Glass Diffuser. This dimmable lamp is offered with two CCT variants (3000 K, 4000 K).



## Product Features

	70 lm/W
	50,000 Hours
	120 V - 277 V, 50 Hz / 60 Hz
	80+ / 90+
	3000 K, 4000 K

## Product Dimensions



Wattage	A(in)	B(in)
12 W - 17 W	7	15

## Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
12 W	840 lm	70 lm/W
15 W	1050 lm	70 lm/W
17 W	1190 lm	70 lm/W

## Hemis 2 Wall Sconce

The IKIO Hemis 2 Wall Sconce is designed to offer its users an efficient sconce lighting alternative fashioned as a traditional fixture. It is designed and built with a timeless look, with 3 Brushed Nickel / Oil-Rubbed Bronze supports that hold its frosted glass diffuser. This dimmable lamp is offered with two CCT variants.



### Product Features



70 lm/W



50,000 Hours



120 V - 277 V, 50 Hz / 60 Hz




80+ / 90+



3000 K, 4000 K

### Product Dimensions



Wattage	A(in)	B(in)
9 W - 12 W	12.5	6.25

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
9 W	630 lm	70 lm/W
12 W	840 lm	70 lm/W

# Hemis 3

## Wall Sconce

The IKIO Hemis 3 Wall Sconce is a high-lumen residential lighting option with the aesthetics of a traditional lamp. It features a timeless design with 3 Brushed Nickel / Oil-Rubbed Bronze supports that hold its frosted glass diffuser. This dimmable lamp is offered with two CCT variants (3000 K, 4000 K).


5 Year  
Warranty

### Product Features

	70 lm/W
	50,000 Hours
	120 V - 277 V, 50 Hz / 60 Hz
	80+ / 90+
	3000 K, 4000 K



### Product Dimensions



Wattage	A(in)	B(in)
12 W - 17 W	7	15

### Product Specifications






Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
12 W	840 lm	70 lm/W
15 W	1050 lm	70 lm/W
17 W	1190 lm	70 lm/W

## Hemis 4 Wall Sconce


The IKIO Hemis 4 Wall Sconce is an efficient sconce lighting alternative to traditional fluorescents. It features a half-ring support that holds its frosted glass diffuser. This dimmable lamp is offered in a brilliant CRI with two CCT variants.



### Product Features

	70 lm/W
	50,000 Hours
	120 V - 277 V, 50 Hz / 60 Hz
	80+ / 90+
	3000 K, 4000 K

### Product Dimensions



Wattage	A(in)	B(in)
9 W - 12 W	7.12	14.5

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
9 W	630 lm	70 lm/W
12 W	840 lm	70 lm/W

# LED Outdoor Ceiling Lights

---





## Deco

### Outdoor Ceiling Light

The IKIO Deco Outdoor LED Ceiling Light is an efficient and durable lamp for outdoor applications, with a long-lasting LED Light Engine Driver, housed in a metal casing to protect it against weathering. It is designed with a touch of classical features to give it a timeless look. Available in finishes of Black / Oil-Rubbed Bronze, this lamp comes in multiple CCT (3000 K, 4000 K, 5000 K) variants with an optional 120 V Triac Dimmable Driver for enhanced light controls.




### Product Features

Lumen/Watt	65 lm/W
Hours	50,000 Hours
Voltage	120 V - 277 V, 50 Hz / 60 Hz
CRI	80+
CCT	3000 K - 5000 K



### Product Dimensions



Wattage	A(in)	B(in)
9 W - 12 W	10	10

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
9 W	585 lm	65 lm/W
12 W	780 lm	65 lm/W

# Ardeco 1

## Outdoor Ceiling Light

The IKIO Ardeco 1 Outdoor LED Ceiling Light is an art deco themed wall / ceiling mount lamp for outdoor applications with high efficiency. It features a long-lasting LED Light Engine Driver, housed in an aluminum casing to protect it against weathering. This Wet-Location Rated fixture is available in finishes of Black / Oil-Rubbed Bronze. It is offered with a 120 V Triac Dimmable Driver option.


**5** Year  
Warranty

### Product Features

	90 lm/W
	50,000 Hours
	120 V - 277 V, 50 Hz / 60 Hz
	80+
	3000 K - 5000 K



### Product Dimensions



Wattage	A(in)	B(in)
6 W - 12 W	4.5	9.87

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
6 W	540 lm	90 lm/W
9 W	810 lm	90 lm/W
12 W	1080 lm	90 lm/W

## Ardeco 2

### Outdoor Ceiling Light

The IKIO Ardeco 2 Outdoor LED Ceiling Light is an efficient and durable, wall / ceiling mount lamp for outdoor applications, with a long-lasting LED Light Engine Driver, housed in an aluminum casing to protect it against weathering. This Wet-Location Rated fixture is designed with a touch of Art-Deco features to give it a timeless look. Available in finishes of Black / Oil-Rubbed Bronze, this lamp comes in multiple CCT (3000 K, 4000 K, 5000 K) variants with an optional 120 V Triac Dimmable Driver for enhanced light controls.



### Product Features

Lumen/Watt	90 lm/W
Hours	50,000 Hours
Voltage	120 V - 277 V, 50 Hz / 60 Hz
CRI	80+
CCT	3000 K - 5000 K



### Product Dimensions



Wattage	A(in)	B(in)
6 W - 12 W	10-3/10	3-17/20

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
6 W	540 lm	90 lm/W
9 W	810 lm	90 lm/W
12 W	1080 lm	90 lm/W

# LED Bulkhead Lights

---



# Valora 1

## Bulkhead Light

The IKIO Valora 1 Bulkhead Light is an efficient and durable, wall / ceiling mount lamp for outdoor applications, with a long-lasting LED Light Engine Driver. Its design features two sets of grills to protect the fixture from vandalism. Available in finishes of Black / Oil-Rubbed Bronze, this lamp comes in multiple CCT (3000 K, 4000 K, 5000 K) variants.




### Product Features

Lumen/Watt	90 lm/W
Hours	50,000 Hours
Voltage	120 V - 277 V, 50 Hz / 60 Hz
CRI	80+
CCT	3000 K - 5000 K



### Product Dimensions



Wattage	A(in)	B(in)
6 W - 12 W	8	4

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
6 W	540 lm	90 lm/W
9 W	810 lm	90 lm/W
12 W	1080 lm	90 lm/W

# Valora 2

## Bulkhead Light

The IKIO Valora 2 Bulkhead Light is a vandal proof wall / ceiling mount lamp for outdoor applications. This extremely durable lamp is protected by two sets of grills. It is available in finishes of Black / Oil-Rubbed Bronze, and three CCT variants.

5 Year  
Warranty

### Product Features

	90 lm/W
	50,000 Hours
	120 V - 277 V, 50 Hz / 60 Hz
	80+
	3000 K - 5000 K



### Product Dimensions



Wattage	A(in)	B(in)
6 W - 12 W	8.5	3.87

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
6 W	540 lm	90 lm/W
9 W	810 lm	90 lm/W
12 W	1080 lm	90 lm/W








## Valora 3

### Bulkhead Light

The IKIO Valora 3 Bulkhead Light is an efficient and durable, wall / ceiling mount lamp for outdoor applications, with an art-deco themed grill pattern to protect it from vandalism. This durable outdoor fixture is available in attractive finishes and comes in multiple CCT variants.



### Product Features

	90 lm/W
	50,000 Hours
	120 V - 277 V, 50 Hz / 60 Hz
	80+
	3000 K - 5000 K

### Product Dimensions



Wattage	A(in)	B(in)
6 W - 12 W	9-7/8	6-1/4

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
6 W	540 lm	90 lm/W
9 W	810 lm	90 lm/W
12 W	1080 lm	90 lm/W

# Valora 4

## Bulkhead Light

The IKIO Valora 4 Bulkhead Light is an efficient and durable, wall / ceiling mount lamp for outdoor applications, with a long-lasting LED Light Engine Driver. Its grills protect the fixture from vandalism. Available in finishes of Black / Oil-Rubbed Bronze, this lamp comes in multiple CCT (3000 K, 4000 K, 5000 K) variants with an optional 120 V Triac Dimmable Driver for enhanced light controls.

5 Year  
Warranty

### Product Features

90 lm/W

50,000 Hours


120 V - 277 V, 50 Hz / 60 Hz

80+

3000 K - 5000 K



### Product Dimensions



Wattage	A(in)	B(in)
6 W - 12 W	5.5	9

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
6 W	540 lm	90 lm/W
9 W	810 lm	90 lm/W
12 W	1080 lm	90 lm/W



# LED Up – Down Lights

---

# Nero 1

## Up - Down Light

The IKIO Nero 1 Up - Down Light is a powerful outdoor sconce lamp, offered in variants with lumen outputs of 1080 - 3600 lm. This fixture is designed with a contemporary minimalist character featuring an arm holding a cylindrical lamp. Available in finishes of Black / Grey / White, this lamp comes in multiple CCT (3000 K, 4000 K, 5000 K) variants and a Photocell option to maximize its energy efficiency.



### Product Features

Lumen/Watt	90 lm/W
Hours	50,000 Hours
Voltage	120 V - 277 V, 50 Hz / 60 Hz
CRI	80+
CCT	3000 K - 5000 K

### Product Dimensions



Wattage	A(in)	B(in)
12 W - 40 W	11-7/8	4-1/3

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
12 W	1080 lm	90 lm/W
18 W	1620 lm	90 lm/W
24 W	2160 lm	90 lm/W
30 W	2700 lm	90 lm/W
40 W	3600 lm	90 lm/W






## Nero 2

### Up - Down Light

The IKIO Nero 2 Up - Down Light is an efficient and durable scone lamp, offered in two lumen output variants (1620 & 2160 lm). This outdoor fixture is designed with a contemporary minimalist character featuring an arm holding a cylindrical up-down lamp. Available in finishes of Black / Grey / White, this lamp comes in multiple CCT (3000 K, 4000 K, 5000 K) variants and a Photocell option to maximize its energy efficiency.



### Product Features

	90 lm/W
	50,000 Hours
	120 V - 277 V, 50 Hz / 60 Hz
	80+
	3000 K - 5000 K

### Product Dimensions



Wattage	A(in)	B(in)
18 W - 24 W	13-7/8	4-1/3

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
18 W	1620 lm	90 lm/W
24 W	2160 lm	90 lm/W



## Nero 3

### Up - Down Light

The IKIO Nero 3 Up - Down Light is an efficient outdoor sconce lamp with a long-lasting LED Light Engine Driver, housed in aluminum. This Wet-Location Rated fixture is offered in two lumen output variants (2700 & 3600 lm). It is designed with a contemporary minimalist character featuring an arm holding a cylindrical up-down lamp. Available in finishes of Black / Grey / White, this lamp comes in multiple CCT (3000 K, 4000 K, 5000 K) variants and a Photocell option to maximize its energy efficiency.



### Product Features

Lumen/Watt	90 lm/W
Hours	50,000 Hours
Voltage	120 V - 277 V, 50 Hz / 60 Hz
CRI	80+
CCT	3000 K - 5000 K

### Product Dimensions



Wattage	A(in)	B(in)
30 W - 40 W	17-7/8	5-3/4

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
30 W	2700 lm	90 lm/W
40 W	3600 lm	90 lm/W






# Cinza 1

## Up - Down Light

The IKIO Cinza 1 Up - Down Light is a cuboidal outdoor sconce lamp offered in three lumen output variants. This Wet-Location Rated fixture is designed with a contemporary minimalist character featuring an arm holding a cuboidal down lamp from its middle. Available in finishes of Black / Grey / White, this lamp comes in multiple CCT (3000 K, 4000 K, 5000 K) variants and a Photocell option to maximize its energy efficiency.




## Product Features

	90 lm/W
	50,000 Hours
	120 V - 277 V, 50 Hz / 60 Hz
	80+
	3000 K - 5000 K



## Product Dimensions



Wattage	A(in)	B(in)
12 W - 24 W	10-1/4	3-1/2

## Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
12 W	1080 lm	90 lm/W
18 W	1620 lm	90 lm/W
24 W	2160 lm	90 lm/W

## Cinza 2

### Up - Down Light


The IKIO Cinza 2 Up - Down Light is an efficient sconce lamp for outdoor lighting, with a long-lasting LED Light Engine Driver, housed in aluminum. This durable fixture is designed with a contemporary minimalist character featuring an arm holding a cuboidal down lamp from its middle. A Photocell option is available to maximize its energy efficiency.



### Product Features

Lumen/Watt	90 lm/W
Hours	50,000 Hours
Voltage	120 V - 277 V, 50 Hz / 60 Hz
CRI	80+
CCT	3000 K - 5000 K

### Product Dimensions



Wattage	A(in)	B(in)
12 W	7-3/4	4-1/3

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
12 W	1080 lm	90 lm/W






# Slitz 1

## Up - Down Light

The IKIO Slitz 1 Up - Down Light is an efficient and durable cylindrical sconce lamp for outdoor lighting, with a long-lasting LED Light Engine Driver, housed in aluminum. It is a Wet-Location Rated fixture with a contemporary character featuring an arm holding a cylindrical up-down lamp with two horizontal light slits. Available in finishes of Black / Grey / White, this lamp comes in multiple CCT (3000 K, 4000 K, 5000 K) variants and a Photcell option to maximize its energy efficiency.



### Product Features

	90 lm/W
	50,000 Hours
	120 V - 277 V, 50 Hz / 60 Hz
	80+
	3000 K - 5000 K

### Product Dimensions



Wattage	A(in)	B(in)
10 W	9-1/4	4-1/2

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
10 W	900 lm	90 lm/W

# Slitz 2

## Up - Down Light

The IKIO Slitz 2 Up - Down Light is an efficient and durable cuboidal sconce lamp for outdoor lighting, with a long-lasting LED Light Engine Driver, housed in aluminum. This Wet-Location Rated fixture is designed with a contemporary character featuring an arm holding a cylindrical up-down lamp with two horizontal light slits. Available in finishes of Black / Grey / White, this lamp comes in multiple CCT (3000 K, 4000 K, 5000 K) variants and a Photocell option to maximize its energy efficiency.



## Product Features

Lumen/Watt	90 lm/W
Hours	50,000 Hours
Voltage	120 V - 277 V, 50 Hz / 60 Hz
CRI	80+
CCT	3000 K - 5000 K

## Product Dimensions



Wattage	A(in)	B(in)
12 W	9-1/8	4-1/2

## Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
12 W	1080 lm	90 lm/W

# LED Wall Lanterns

---



# Classica 1

## Wall Lantern


The IKIO Classica 1 Wall Lantern is an efficient and durable lamp for outdoor lighting, with a long-lasting LED Light Engine Driver, housed in an aluminum casing. This Wet-Location Rated fixture is designed with a timeless classical character. Available in finishes of Black / Oil-Rubbed Bronze, this lamp comes in multiple CCT (3000 K, 4000 K, 5000 K) variants and a Photocell option to maximize its energy efficiency.



## Product Features

Lumen/Watt	60 lm/W
Hours	50,000 Hours
Voltage	120 V - 277 V, 50 Hz / 60 Hz
CRI	80+
CCT	3000 K - 5000 K

## Product Dimensions



Wattage	A(in)	B(in)
6 W - 12 W	11	6

## Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
6 W	360 lm	60 lm/W
9 W	540 lm	60 lm/W
12 W	720 lm	60 lm/W



# Classica 2

## Wall Lantern

The IKIO Classica 2 Wall Lantern is a classical themed efficient outdoor light, with a long-lasting LED Light Engine Driver. This timeless looking fixture is wet-location rated and available in finishes of Black / Oil-Rubbed Bronze. It comes in multiple CCT (3000 K, 4000 K, 5000 K) variants and a Photocell option to maximize its energy efficiency.

**5** Year  
Warranty

### Product Features

65 lm/W

50,000 Hours

120 V - 277 V, 50 Hz / 60 Hz

80+

3000 K - 5000 K



### Product Dimensions



Wattage	A(in)	B(in)
6 W - 12 W	10-7/8	6-1/2

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
6 W	390 lm	65 lm/W
9 W	585 lm	65 lm/W
12 W	780 lm	65 lm/W

## Classica 3

### Wall Lantern

The IKIO Classica 3 Wall Lantern is a graceful outdoor lamp with a timeless classical character. The beauty of this lamp is matched by its outstanding efficiency. With a long-lasting LED Light Engine Driver, housed in an aluminum casing, this fixture is built for both durability and better light quality. This Wet-Location Rated fixture is available in finishes of Black / Oil-Rubbed Bronze, this lamp comes in multiple CCT (3000 K, 4000 K, 5000 K) variants and a Photocell option to maximize its energy efficiency.



### Product Features

Lumen/Watt	60 lm/W
Hours	50,000 Hours
Voltage	120 V - 277 V, 50 Hz / 60 Hz
CRI	80+
CCT	3000 K - 5000 K



### Product Dimensions



Wattage	A(in)	B(in)
6 W - 12 W	12-3/8	6

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
6 W	360 lm	60 lm/W
9 W	540 lm	60 lm/W
12 W	720 lm	60 lm/W






# Classica 4

## Wall Lantern

The IKIO Classica 4 Wall Lantern is an efficient outdoor lamp with a timeless classical character. This graceful lamp is Wet-Location Rated and available in finishes of Black / Oil-Rubbed Bronze. This lamp comes in multiple CCT (3000 K, 4000 K, 5000 K) variants and a Photocell option to maximize its energy efficiency.



## Product Features

	65 lm/W
	50,000 Hours
	120 V - 277 V, 50 Hz / 60 Hz
	80+
	3000 K - 5000 K

## Product Dimensions



Wattage	A(in)	B(in)
6 W - 12 W	13	7

## Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
6 W	390 lm	65 lm/W
9 W	585 lm	65 lm/W
12 W	780 lm	65 lm/W

# Klassico 1

## Wall Lantern


The Klassico 1 Wall Lantern is an elegant lamp for outdoor lighting, fashioned in a timeless classical character. This Wet-Location Rated fixture is available in finishes of Black / Oil-Rubbed Bronze. With a long-lasting in-built LED driver, this lamp comes in multiple CCT (3000 K, 4000 K, 5000 K) variants and a Photocell option to allow its users smarter light controls.



## Product Features

Lumen/Watt	60 lm/W
Hours	50,000 Hours
Voltage	120 V - 277 V, 50 Hz / 60 Hz
CRI	80+
CCT	3000 K - 5000 K

## Product Dimensions



Wattage	A(in)	B(in)
6 W - 12 W	10-3/4	6-3/4

## Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
6 W	360 lm	60 lm/W
9 W	540 lm	60 lm/W
12 W	720 lm	60 lm/W






# Klassico 2

## Wall Lantern

The Klassico 2 Wall Lantern is an elegant outdoor light, with a touch of timeless appeal in its aesthetics. This classical fixture is Wet-Location Rated and available in finishes of Black / Oil-Rubbed Bronze. It is offered in three CCT variants and has an option of including a photocell to control its illumination based on the amount of available natural light.



### Product Features

	60 lm/W
	50,000 Hours
	120 V - 277 V, 50 Hz / 60 Hz
	80+
	3000 K - 5000 K

### Product Dimensions



Wattage	A(in)	B(in)
6 W - 12 W	10-1/8	6

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
6 W	360 lm	60 lm/W
9 W	540 lm	60 lm/W

# Klassico 3

## Wall Lantern

The Klassico 3 Wall Lantern is designed with a touch of urbane aesthetics. This outdoor light features symmetric grills wrapped around its cylindrical circumference, topped by a canopy. This Wet-Location Rated fixture comes with an in-built LED driver and is available in finishes of Black / Oil-Rubbed Bronze. It comes in multiple CCT (3000 K, 4000 K, 5000 K) variants and a Photocell option.



## Product Features

Lumen/Watt	60 lm/W
Hours	50,000 Hours
Voltage	120 V - 277 V, 50 Hz / 60 Hz
CRI	80+
CCT	3000 K - 5000 K

## Product Dimensions



Wattage	A(in)	B(in)
6 W - 12 W	9-1/4	6

## Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
6 W	360 lm	60 lm/W
9 W	540 lm	60 lm/W
12 W	720 lm	60 lm/W






# Klassico 4

## Wall Lantern

The Klassico 4 Wall Lantern is designed to bring in timeless classical aesthetics in outdoor lighting applications. It combines the attractiveness of old-fashioned beauty with modern-day high-energy efficiency and flicker-free lighting. This fixture is also Wet-Location Rated and available in finishes of Black / Oil-Rubbed Bronze. It comes in three CCT variants and an option to include a Photocell.



### Product Features

	65 lm/W
	50,000 Hours
	120 V - 277 V, 50 Hz / 60 Hz
	80+
	3000 K - 5000 K

### Product Dimensions



Wattage	A(in)	B(in)
6 W - 12 W	8-1/2	4-1/2

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
6 W	390 lm	65 lm/W
9 W	585 lm	65 lm/W
12 W	780 lm	65 lm/W



# Archis 1

## Wall Lantern


The Archis 1 Wall Lantern is an attractive classy energy-efficient lamp for outdoor lighting. This Wet-Location Rated fixture is designed with a timeless classical character featuring an arched arm holding a lamp. Its glass diffuser is enclosed by criss-crossed grills. Available in finishes of Black / Oil-Rubbed Bronze, this lamp comes in multiple CCT (3000 K, 4000 K, 5000 K) variants and a Photocell option to maximize its energy efficiency.



### Product Features

Lumen/Watt	60 lm/W
Hours	50,000 Hours
Voltage	120 V - 277 V, 50 Hz / 60 Hz
CRI	80+
CCT	3000 K - 5000 K

### Product Dimensions



Wattage	A(in)	B(in)
6 W - 12 W	13-3/4	7-1/4

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
6 W	360 lm	60 lm/W
9 W	540 lm	60 lm/W
12 W	720 lm	60 lm/W






## Archis 2

### Wall Lantern

The Archis 2 Wall Lantern is an elegant outdoor lamp designed as an attractive old-fashioned lantern. This Wet-Location Rated fixture is designed with a timeless classical character featuring an arched arm holding a lamp. Its glass diffuser is enclosed by grills. Available in finishes of Black / Oil-Rubbed Bronze, this lamp comes in multiple CCT (3000 K, 4000 K, 5000 K) variants and a Photocell option to maximize its energy efficiency.



### Product Features

	65 lm/W
	50,000 Hours
	120 V - 277 V, 50 Hz / 60 Hz
	80+
	3000 K - 5000 K

### Product Dimensions



Wattage	A(in)	B(in)
6 W - 12 W	8-1/2	4-1/2
6 W - 12 W	12-3/8	7-1/3
12 W - 15 W	18-3/4	11

### Product Specifications






Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
6 W	390 lm	65 lm/W
9 W	585 lm	65 lm/W
12 W	780 lm	65 lm/W
15 W	975 lm	65 lm/W

## Archis 3 Wall Lantern

The Archis 3 Wall Lantern is fashioned to have a timeless appeal. This Wet-Location Rated outdoor fixture is designed with a classical character featuring an arched arm holding a lamp with its light source enclosed by grills. This attractive lamp is offered in finishes of Black / Oil-Rubbed Bronze and comes in multiple CCT variants. A Photocell option is also available to maximize its energy efficiency.



### Product Features

	60 lm/W
	50,000 Hours
	120 V - 277 V, 50 Hz / 60 Hz
	80+
	3000 K - 5000 K

### Product Dimensions



Wattage	A(in)	B(in)
6 W - 12 W	12-1/2	7

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
6 W	360 lm	60 lm/W
9 W	540 lm	60 lm/W
12 W	720 lm	60 lm/W

# Archis 4

## Wall Lantern

The Archis 4 Wall Lantern is a classy lamp with slight curves for outdoor lighting applications. It has a long-lasting LED Light Engine Driver, housed in a steel casing. This Wet-Location Rated fixture is designed with a timeless classical character featuring an arched arm holding a lamp. Its glass diffuser is enclosed by grills. Available in finishes of Black / Oil-Rubbed Bronze, this lamp comes in multiple CCT (3000 K, 4000 K, 5000 K) variants and a Photocell option to maximize its energy efficiency.

**5** Year  
Warranty

### Product Features

	60 lm/W
	50,000 Hours
	120 V - 277 V, 50 Hz / 60 Hz
	80+
	3000 K - 5000 K



### Product Dimensions



Wattage	A(in)	B(in)
6 W - 12 W	14-1/4	7

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
6 W	360 lm	60 lm/W
9 W	540 lm	60 lm/W
12 W	720 lm	60 lm/W

## Archis 5 Wall Lantern

The Archis 5 Wall Lantern is designed to bring in the timeless aesthetics of an old-fashioned bell. This Wet-Location Rated fixture is designed with a timeless classical character featuring an arm holding a lamp. It has a hemispherical diffuser capped by a uniquely molded canopy. Available in finishes of Black / Oil-Rubbed Bronze, this lamp comes in multiple CCT (3000 K, 4000 K, 5000 K) variants and a Photocell option to maximize its energy efficiency.



### Product Features



65 lm/W



50,000 Hours



120 V - 277 V, 50 Hz / 60 Hz



80+



3000 K - 5000 K

### Product Dimensions



Wattage	A(in)	B(in)
9 W - 12 W	10-3/5	8-3/4

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
9 W	585 lm	65 lm/W
12 W	780 lm	65 lm/W






# Eterna 1

## Wall Lantern


The Eterna 1 Wall Lantern is an efficient and durable lamp for outdoor lighting, with a long-lasting LED Light Engine Driver, housed in an aluminum casing. This Wet-Location Rated fixture is designed with a timeless classical character, featuring a uniquely molded top-cover. Available in finishes of Black / Oil-Rubbed Bronze, this lamp comes in multiple CCT (3000 K, 4000 K, 5000 K) variants and a Photocell option to maximize its energy efficiency.



### Product Features

	70 lm/W
	50,000 Hours
	120 V - 277 V, 50 Hz / 60 Hz
	80+
	3000 K - 5000 K

### Product Dimensions



Wattage	A(in)	B(in)
6 W - 12 W	11-1/2	10

### Product Specifications






Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
6 W	420 lm	70 lm/W
9 W	630 lm	70 lm/W
12 W	840 lm	70 lm/W

## Eterna 2 Wall Lantern

The Eterna 2 Wall Lantern is an efficient and durable lamp for outdoor lighting, with a long-lasting LED Light Engine Driver, housed in an aluminum casing. This Wet-Location Rated fixture is designed with a timeless classical character, featuring a uniquely molded top-cover. Available in finishes of Black / Oil-Rubbed Bronze, this lamp comes in multiple CCT (3000 K, 4000 K, 5000 K) variants and a Photocell option to maximize its energy efficiency.



### Product Features

	70 lm/W
	50,000 Hours
	120 V - 277 V, 50 Hz / 60 Hz
	80+
	3000 K - 5000 K

### Product Dimensions



Wattage	A(in)	B(in)
6 W - 12 W	11-3/4	8

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
6 W	420 lm	70 lm/W
9 W	630 lm	70 lm/W
12 W	840 lm	70 lm/W








# Baston

## Post Mount Lantern

The Baston Post Mount Lantern is an efficient outdoor light with a long-lasting LED Light Engine Driver. This Wet-Location Rated fixture is fashioned like a timeless post mount lantern. Available in finishes of Black / Oil-Rubbed Bronze, this lamp comes in multiple CCT (3000 K, 4000 K, 5000 K) variants and a Photocell option to maximize its energy efficiency.



## Product Features

	65 lm/W
	50,000 Hours
	120 V - 277 V, 50 Hz / 60 Hz
	80+
	3000 K - 5000 K

## Product Dimensions



Wattage	A(in)	B(in)
6 W - 12 W	15-1/2	9

## Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
6 W	390 lm	65 lm/W
9 W	585 lm	65 lm/W
12 W	780 lm	65 lm/W



# LED Wall Lights

---

# Odion 1

## Wall Light


The IKIO Odion 1 Wall Light is a minimalist outdoor lamp with a long-lasting LED Light Engine Driver housed in an aluminum casing. This Wet-Location Rated fixture is designed with a contemporary character with an arm holding the slightly cylindrical lamp from the top. Available in finishes of Black / Oil-Rubbed Bronze, this lamp comes in multiple CCT (3000 K, 4000 K, 5000 K) variants and a Photocell option to maximize its energy efficiency.



### Product Features

Lumen/Watt	70 lm/W
Hours	50,000 Hours
Voltage	120 V - 277 V, 50 Hz / 60 Hz
CRI	80+
CCT	3000 K - 5000 K

### Product Dimensions



Wattage	A(in)	B(in)
6 W - 9 W	7-3/4	4-1/2

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
6 W	420 lm	70 lm/W
9 W	630 lm	70 lm/W

# Odion 2

## Wall Light

The Odion 2 Wall Light is an efficient outdoor lamp with a long-lasting LED Light Engine Driver, housed in an aluminum casing. This Wet-Location Rated fixture is designed with a contemporary character featuring a spherical lamp being held from the top. Available in finishes of Black / Oil-Rubbed Bronze, this lamp comes in multiple CCT (3000 K, 4000 K, 5000 K) variants and a Photocell option.


**5** Year  
Warranty

### Product Features

	70 lm/W
	50,000 Hours
	120 V - 277 V, 50 Hz / 60 Hz
	80+
	3000 K - 5000 K



### Product Dimensions



Wattage	A(in)	B(in)
6 W - 9 W	7-3/8	5-7/8

### Product Specifications






Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
6 W	420 lm	70 lm/W
9 W	630 lm	70 lm/W

## Odion 3 Wall Light

The Odion 3 Wall Light is an efficient and durable lamp for outdoor lighting, with a long-lasting LED Light Engine Driver, housed in an aluminum casing. This Wet-Location Rated fixture is featured with a contemporary classical character with an arm holding the fixture's uniquely molded glass diffuser from the top. Available in finishes of Black / Oil-Rubbed Bronze, this lamp comes in multiple CCT (3000 K, 4000 K, 5000 K) variants and a Photocell option to maximize its energy efficiency.



### Product Features

	70 lm/W
	50,000 Hours
	120 V - 277 V, 50 Hz / 60 Hz
	80+
	3000 K - 5000 K

### Product Dimensions



Wattage	A(in)	B(in)
6 W - 9 W	7-3/4	4-1/2

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
6 W	420 lm	70 lm/W
9 W	630 lm	70 lm/W






# Rollo 1

## Wall Light


The Rollo 1 Wall Light is a graceful outdoor lamp with high energy efficiency. It has a long-lasting LED Light Engine Driver housed in a Satin Nickel Steel casing. This Wet-Location Rated fixture is designed with a timeless classical character, featuring a half-cylindrical diffuser with a bottom and top cover. Available in finishes of Black / Oil-Rubbed Bronze, this Dimmable lamp comes in switch-controlled variable CCTs (3000 K, 4000 K, 5000 K) for a high degree of light control.



### Product Features

	70 lm/W
	50,000 Hours
	120 V - 277 V, 50 Hz / 60 Hz
	80+
	3000 K - 5000 K

### Product Dimensions



Wattage	A(in)	B(in)
6 W - 12 W	10	7

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
6 W	420 lm	70 lm/W
9 W	630 lm	70 lm/W
12 W	840 lm	70 lm/W



## Rollo 2 Wall Light

The Rollo 2 Wall Light is an efficient and durable outdoor lamp designed with a timeless classical character. It has a long-lasting LED Light Engine Driver housed in a Satin Nickel Steel casing. This Wet-Location Rated fixture features a half-cylindrical diffuser with a bottom and top cover. Available in finishes of Black / Oil-Rubbed Bronze, this dimmable lamp comes in switch-controlled variable CCTs (3000 K, 4000 K, 5000 K) for a high degree of light control.



### Product Features

Lumen/Watt	70 lm/W
Hours	50,000 Hours
Voltage	120 V - 277 V, 50 Hz / 60 Hz
CRI	80+
CCT	3000 K - 5000 K

### Product Dimensions



Wattage	A(in)	B(in)
6 W - 12 W	10	10

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
6 W	420 lm	70 lm/W
9 W	630 lm	70 lm/W
12 W	840 lm	70 lm/W

# Rollo 3

## Wall Light

The Rollo 3 Wall Light is an efficient and durable lamp for outdoor lighting. This Wet-Location Rated fixture is designed with a timeless contemporary character, featuring uniquely patterned horizontal and vertical grills on its front. Available in finishes of Black / Oil-Rubbed Bronze, this lamp comes in multiple CCT (3000 K, 4000 K, 5000 K) variants and a Photocell option to maximize its energy efficiency.

5 Year  
Warranty

### Product Features

	70 lm/W
	50,000 Hours
	120 V - 277 V, 50 Hz / 60 Hz
	80+
	3000 K - 5000 K



### Product Dimensions



Wattage	A(in)	B(in)
6 W - 12 W	9-1/4	8-1/2

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
6 W	420 lm	70 lm/W
9 W	630 lm	70 lm/W
12 W	840 lm	70 lm/W



# LED Porch Lights

---

# Velum 1

## Porch Light

The Velum 1 Porch Light is an efficient and durable lamp for outdoor security lighting, with a long-lasting LED Light Engine Driver, housed in an aluminum casing to protect it against weathering. This Wet-Location Rated fixture is designed with a modern minimalist character having a top-cover with three linear grills. Available in finishes of Black / Oil-Rubbed Bronze, this lamp comes in multiple CCT (3000 K, 4000 K, 5000 K) variants.




### Product Features

Lumen/Watt	60 lm/W
Hours	50,000 Hours
Voltage	120 V - 277 V, 50 Hz / 60 Hz
CRI	80+
CCT	3000 K - 5000 K



### Product Dimensions



Wattage	A(in)	B(in)
6 W - 12 W	9-7/8	7

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
6 W	360 lm	60 lm/W
9 W	540 lm	60 lm/W
12 W	720 lm	60 lm/W

# Velum 2

## Porch Light

The Velum 2 Porch Light is designed with modern era aesthetics for outdoor security lighting. It features a long-lasting LED Light Engine Driver, housed in an aluminum casing to protect it against weathering. This Wet-Location Rated fixture is designed with a modern minimalist character having a top-cover. Available in finishes of Black / Oil-Rubbed Bronze, this lamp comes in three CCT variants.

**5** Year  
Warranty

### Product Features

	60 lm/W
	50,000 Hours
	120 V - 277 V, 50 Hz / 60 Hz
	80+
	3000 K - 5000 K



### Product Dimensions



Wattage	A(in)	B(in)
6 W - 12 W	9-7/8	7

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
6 W	360 lm	60 lm/W
9 W	540 lm	60 lm/W
12 W	720 lm	60 lm/W

## Velum 3 Porch Light

The Velum 3 Porch Light is a minimalist efficient outdoor lamp for security lighting. It features a long-lasting LED Light Engine Driver housed in an aluminum casing to protect it against weathering. This Wet-Location Rated fixture is designed with a modern character having a top-cover. Available in finishes of Black / Oil-Rubbed Bronze, this lamp comes in multiple CCT (3000 K, 4000 K, 5000 K) variants.



### Product Features

Lumen/Watt	60 lm/W
Hours	50,000 Hours
Voltage	120 V - 277 V, 50 Hz / 60 Hz
CRI	80+
CCT	3000 K - 5000 K

### Product Dimensions



Wattage	A(in)	B(in)
6 W - 12 W	8-5/8	5-1/4

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
6 W	360 lm	60 lm/W
9 W	540 lm	60 lm/W
12 W	720 lm	60 lm/W

# LED Outdoor Downlights

---





# Nora 1

## Outdoor Downlight


The Nora 1 Outdoor Downlight is an elegant outdoor sconce lamp, with a long-lasting LED Light Engine Driver, housed in aluminum. This Wet-Location Rated fixture is designed with a contemporary minimalist character featuring an arm holding a cylindrical down-lamp. Available in finishes of Black / Grey / White, this lamp comes in multiple CCT (3000 K, 4000 K, 5000 K) variants and a Photocell option to maximize its energy efficiency.



## Product Features

Lumen/Watt	70 lm/W
Hours	50,000 Hours
Voltage	120 V - 277 V, 50 Hz / 60 Hz
CRI	80+
CCT	3000 K - 5000 K

## Product Dimensions



Wattage	A(in)	B(in)
6 W - 20 W	7-3/4	4-1/3

## Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
6 W	420 lm	70 lm/W
9 W	630 lm	70 lm/W
12 W	840 lm	70 lm/W
18 W	1260 lm	70 lm/W
20 W	1400 lm	70 lm/W

# Nora 2

## Outdoor Downlight

The Nora 2 Outdoor Downlight is a beautiful, energy efficient and durable sconce lamp for outdoor lighting. It has a long-lasting LED Light Engine Driver, housed in aluminum. This Wet-Location Rated fixture is designed with a contemporary minimalist character featuring an arm holding a cuboidal down-lamp. Available in finishes of Black / Grey / White, this lamp comes in multiple CCT (3000 K, 4000 K, 5000 K) variants and a Photocell option.




5 Year  
Warranty

### Product Features

	70 lm/W
	50,000 Hours
	120 V - 277 V, 50 Hz / 60 Hz
	80+
	3000 K - 5000 K

### Product Dimensions



Wattage	A(in)	B(in)
6 W - 12 W	8-1/8	3-1/2

### Product Specifications

Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
6 W	420 lm	70 lm/W
9 W	630 lm	70 lm/W
12 W	840 lm	70 lm/W

## Grillis

### Outdoor Downlight

The Grillis Outdoor Downlight is a gorgeous outdoor lamp featuring a neat cylinder with its bottom part transformed into wire grills. It has a long-lasting LED Light Engine Driver, housed in a steel casing. This Wet-Location Rated fixture is designed with a contemporary character and is available in finishes of Black / Oil-Rubbed Bronze. It comes in multiple CCT (3000 K, 4000 K, 5000 K) variants and a Photocell option to maximize its energy efficiency.




### Product Features

Lumen/Watt	60 lm/W
Hours	50,000 Hours
Voltage	120 V - 277 V, 50 Hz / 60 Hz
CRI	80+
CCT	3000 K - 5000 K



### Product Dimensions



Wattage	A(in)	B(in)
6 W - 9 W	7	3-1/2

### Product Specifications


Wattage (W)	Lumen Output (lm)	Lumen Efficacy (lm/W)
6 W	360 lm	60 lm/W
9 W	540 lm	60 lm/W





# Our Growing Worldwide Presence...

---



United States | Canada | Mexico | United Arab Emirates | India | China



[www.ikioledlighting.com](http://www.ikioledlighting.com)

Multi-family  
**Residential &**  
Hospitality Lighting

LED Lighting Catalog **2019-20**

 8470 Allison Pointe Blvd, Suite 128 Indianapolis, IN 46250

 (1) 844-533-4546 (Toll Free)

 [info@ikioledlighting.com](mailto:info@ikioledlighting.com)

 [www.linkedin.com/company/ikio-led-lighting](https://www.linkedin.com/company/ikio-led-lighting)

 [www.ikioledlighting.com](http://www.ikioledlighting.com)



Delivering Excellence. Brightening Lives.