



COMMERCIAL LIGHTING | PANEL LIGHT

PRODUCT DETAILS

IKIO brings you Contrila CCT and Power Selectable Edge-Lit Panel Lights which not only offer great efficacy but also allow you to switch to multiple color temperatures and wattages, thereby offering greater light control. Produced using high quality aluminum housing, these panel lights are an excellent alternative to traditional fluorescent troffers as retrofits. Their edge-lit design and lightweight structure easily lay into drop ceilings. The LED and flat panel combination provides an energy-efficient luminaire with no shadows or dark spots.

FEATURES

- Edge-lit low-profile design makes it perfect to be used for drop ceilings.
- **Multiple CCT and Wattage selectable** feature adds to the ease of use and offers better light control.
- High CRI helps the colors to appear crisp and add to the area's look.
- Quality light output with evenly distributed light high-quality LGP.
- Supports 0-10 V dimming.
- Ideal for retrofitting old and malfunctioning fixtures in commercial applications.

APPLICATIONS

里哈哈榆ム

Hospitals Lobbies Offices Airports Malls Commercial Application

WARRANTY & QUALIFICATIONS



*Warranty and Qualifications can vary per item/SKU, see technical data sheets (TDS) for specific information.

info@ikioledlighting.com | +1 844-533-4546 | www.ikioledlighting.com

© 2021 IKIO LED LIGHTING. All Rights Reserved. Products and technologies in this document may be covered by one or more Patents Pending. The product images shown are for illustration purposes only and may not be an exact representation of the product. Specifications subject to change without notice.





PRODUCT ORDERING DETAILS ORDERING PART NUMBERS

IK-FP14 (For 1' x 4' Panels) # IK-FP22 (For 2' x 2' Panels) # IK-FP24 (For 2' x 4' Panels)

100-277 V FIXTURES

1' x 4' FIXTURES

POWER SELECTABLE	SKU CODES	DESCRIPTION	DLC	FINISH	CCT	EFFICACY	LUMENS	SIZE	AVG. LIFE HOURS	CASE
20 W-25 W-30 W-35 W	662187536842	CONTRILA: 1' x 4' / 100-277 V / Dimmable		WHITE	3000 K-3500 K-4000 K-5000 K	125 lm/W	2500 lm-3125 lm-3750 lm-4375 lm	1' X 4'	50,000	1

2' x 2' FIXTURES

POWER SELECTABLE	SKU CODES	DESCRIPTION	DLC	FINISH	CCT	EFFICACY	LUMENS	SIZE	AVG. LIFE HOURS	CASE
20 W-30 W-36 W-40 W	662187555010	CONTRILA: 2' x 2' / 100-277 V / Dimmable		WHITE	3000 K-3500 K-4000 K-5000 K	125 lm/W	2500 lm-3750 lm-4500 lm-5000 lm	2' X 2'	50,000	1

2' x 4' FIXTURES

POWER SELECTABLE	SKU CODES	DESCRIPTION	DLC	FINISH	CCT	EFFICACY	LUMENS	SIZE	AVG. LIFE HOURS	CASE
35 W-40 W-45 W-50 W	662187555034	CONTRILA: 2' x 4' / 100-277 V / Dimmable		WHITE	3000 K-3500 K-4000 K-5000 K	125 lm/W	4375 lm-5000 lm-5625 lm-6250 lm	2' X 4'	50,000	1

120-277 V FIXTURES

1' x 4' FIXTURES

POWER SELECTABLE	SKU CODES	DESCRIPTION	DLC	FINISH	CCT	EFFICACY	LUMENS	SIZE	AVG. LIFE HOURS	CASE
20 W-25 W-30 W-35 W	662187475516	CONTRILA: 1' x 4' / 120-277 V / Dimmable		WHITE	3000 K-3500 K-4000 K-5000 K	125 lm/W	2500 lm-3125 lm-3750 lm-4375 lm	1' X 4'	50,000	1

2' x 2' FIXTURES

POWER SELECTABLE	SKU CODES	DESCRIPTION	DLC	FINISH	CCT	EFFICACY	LUMENS	SIZE	AVG. LIFE HOURS	CASE
20 W-30 W-36 W-40 W	662187475523	CONTRILA: 2' x 2' / 120-277 V / Dimmable		WHITE	3000 K-3500 K-4000 K-5000 K	125 lm/W	2500 lm-3750 lm-4500 lm-5000 lm	2' X 2'	50,000	1

2' x 4' FIXTURES

POWER SELECTABLE	SKU CODES	DESCRIPTION	DLC	FINISH	CCT	EFFICACY	LUMENS	SIZE	AVG. LIFE HOURS	CASE
35 W-40 W-45 W-50 W	662187475547	CONTRILA: 2' x 4' / 120-277 V / Dimmable		WHITE	3000 K-3500 K-4000 K-5000 K	125 lm/W	4375 lm-5000 lm-5625 lm-6250 lm	2' X 4'	50,000	1

ACCESSORIES

SKI	KU CODES	DESCRIPTION	CASE
6621	2187558875	EMERGENCY PACK FOR LED FIXTURE 10 W/90 MIN/SPLIT TYPE/L AC	1
6621	2187528601	EMERGENCY PACK FOR LED FIXTURE 18 W/90 MIN/SPLIT TYPE/L DC	1
6621	2187548487	SMART OCCUPANCY SENSOR ON/OFF ONLY	1
6621	2187548043	SMART OCCUPANCY SENSOR WITH DAYLIGHT HARVESTING	1
6621	2187477046	REMOTE CONTROL	1

info@ikioledlighting.com | +1 844-533-4546 | www.ikioledlighting.com

© 2021 IKIO LED LIGHTING. All Rights Reserved. Products and technologies in this document may be covered by one or more Patents Pending.

The product images shown are for illustration purposes only and may not be an exact representation of the product. Specifications subject to change without notice.





MOUNTING OPTIONS

	ITEM#	DESCRIPTION	CASE
	662187477640	SURFACE MOUNT KIT FOR (1' x 4')	1
	662187476605	SUSPENDED MOUNT KIT FOR (1' x 4')	1
6	662187477107	SURFACE MOUNT KIT FOR (2' x 2')	1
6	662187476612	SUSPENDED MOUNT KIT FOR (2' x 2')	1
	662187477114	SURFACE MOUNT KIT FOR (2' x 4')	1
6	662187476629	SUSPENDED MOUNT KIT FOR (2' x 4')	1

info@ikioledlighting.com | +1 844-533-4546 | www.ikioledlighting.com

Page | 3