


CPS Series

DELPHI

CCT & POWER SELECTABLE BACK-LIT PANEL LIGHT

CPS SERIES | PANEL LIGHTS



PRODUCT DETAILS

IKIO's Delphi Back-Lit Panel Lights come with superior efficacy. Designed to be an excellent alternative to traditional fluorescent panels, their thin and lightweight build easily lays into drop ceilings. The LED and flat panel combination provides an energy-efficient luminaire (up to 60% savings over traditional fluorescent lights) with no shadows or dark spots. Moreover, the luminaire incorporates the advanced CCT & Power selectable technology that offers greater control to its users.

FEATURES

- **High energy cost savings** - Up to 80%.
- **Back-lit design** - allows effective light distribution.
- **CCT & Power selectable** - offers greater light control and efficiency.
- **Evenly distributed flicker-free light.**
- **Place of usage** - covered ceilings only.
- **80+ CRI** for Crisp colors.

APPLICATIONS



Hospitals	Airports
Lobbies	Malls
Offices	Schools

WARRANTY & QUALIFICATIONS*



DesignLights Consortium® (DLC) qualified product (Premium). Not all versions of this product may be DLC qualified. Please check the DLC Qualified Products List at www.designlights.org/QPL to confirm which versions are qualified.

*Warranty and Qualifications can vary per item/SKU, see technical data sheets (TDS) for specific information.

PRODUCT ORDERING DETAILS

ORDERING PART NUMBERS

IK-BL14 (For 1' x 4' Panels)

IK-BL22 (For 2' x 2' Panels)

IK-BL24 (For 2' x 4' Panels)

QUALIFIED PART NUMBERS

IK-BL14 (For 1' x 4' Panels)

IK-BL22 (For 2' x 2' Panels)

IK-BL24 (For 2' x 4' Panels)

120-277 V FIXTURES

1' x 4' FIXTURES

POWER SELECTABLE (RANGE)	SKU CODES	DESCRIPTION	DLC	FINISH	CCT SELECTABLE (RANGE)	EFFICACY	LUMENS	AVG. LIFE HOURS	TRAD. EQUIV	CASE
20 W-30 W-40 W	662187528564	DELPHI BACK LIT PANEL: 1' x 4' / 20 W -30 W-40 W / Dimmable	★	WHITE	3500 K-4000 K-5000 K	150 lm/W	2855 lm-4096 lm -5171 lm	50,000	150 W	1

2' x 2' FIXTURES

POWER SELECTABLE (RANGE)	SKU CODES	DESCRIPTION	DLC	FINISH	CCT SELECTABLE (RANGE)	EFFICACY	LUMENS	AVG. LIFE HOURS	TRAD. EQUIV	CASE
20 W-30 W-40 W	662187549439	DELPHI BACK LIT PANEL: 2' x 2' / 20 W -30 W-40 W / Dimmable	★	WHITE	3500 K-4000 K-5000 K	143 lm/W-140 lm/W -134 lm/W	2829 lm-4054 lm-5275 lm	50,000	120 W	1

2' x 4' FIXTURES

POWER SELECTABLE (RANGE)	SKU CODES	DESCRIPTION	DLC	FINISH	CCT SELECTABLE (RANGE)	EFFICACY	LUMENS	AVG. LIFE HOURS	TRAD. EQUIV	CASE
30 W-40 W-50 W	662187549422	DELPHI BACK LIT PANEL: 2' x 4' / 30 W -40 W-50 W / Dimmable	★	WHITE	3500 K-4000 K-5000 K	143 lm/W-138 lm/W -132 lm/W	4174 lm-5363 lm-6443 lm	50,000	150 W	1

ACCESSORIES

	SKU CODES	DESCRIPTION	CASE
	662187558875	EMERGENCY PACK FOR LED FIXTURE 10 W/90 MIN/SPLIT TYPE/L AC	1
	662187528601	EMERGENCY PACK FOR LED FIXTURE 18 W/90 MIN/SPLIT TYPE/L DC	1
	662187548487	HD401S-CR : SMART OCCUPANCY SENSOR ON/OFF ONLY	1
	662187548043	HD407V-CR : SMART OCCUPANCY SENSOR WITH DAYLIGHT HARVESTING	1
	662187477046	HD05R - REMOTE CONTROL	1
	662187557700	IK-OCCS-B, HD406VRH-D: MICROWAVE SMART CONTROLLER (BLACK SENSOR)	1
	662187558073	IK-OCCS-R, HD03R: MICROWAVE SMART REMOTE	1

MOUNTING OPTIONS

	SKU CODES	DESCRIPTION	CASE
	662187558257	SURFACE MOUNT KIT FOR (1' x 4')	1
	662187476605	SUSPENDED MOUNT KIT FOR (1' x 4')	1
	662187559032	SURFACE MOUNT KIT FOR (2' x 2')	1

MOUNTING OPTIONS

	SKU CODES	DESCRIPTION	CASE
	662187477107	SUSPENDED MOUNT KIT FOR (2' x 2')	1
	662187558295	SURFACE MOUNT KIT FOR (2' x 4')	1
	662187477114	SUSPENDED MOUNT KIT FOR (2' x 4')	1