



Not all product variations listed on this page are DLC qualified. Visit <https://www.designlights.org/gpl> to confirm qualification.

# DYNAMO 4 PRO

## STADIUM FLOOD LIGHT (POWER SELECTABLE)

IKIO's Dynamo 4 Pro Stadium Flood Light features power selectability, enabling precise light output control to meet your project's unique requirements. Its advanced cooling system ensures efficient heat dissipation, while the low EPA design minimizes wind resistance for reliable performance in demanding environments. Engineered for high-stakes games and community events alike, this stadium light delivers optimal visibility and an enhanced spectator experience.

**Applications:** Stadiums and Sports Venues, Outdoor Advertising, Gymnasiums, Plazas, Airports, Courtyards, Public Areas, Ports

## FEATURES

- **Power selectability** enables customized lighting levels for versatile applications.
- **High-output illumination** ensures powerful and uniform lighting across large arenas.
- Low EPA design reduces wind resistance, **minimizing fixture stress and enhancing stability.**
- Engineered for durability, the luminaire **ensures reliable performance in challenging environments.**
- Advanced dimming allows **precise brightness control for optimal lighting.**
- Built-in surge protection ensures enhanced **reliability and stability during power fluctuations.**
- **DMX compatibility** enables dynamic lighting control, including color changing, grouping, scheduling, and remote operation.
- Optional **visor and laser** pointer for enhanced precision and glare control.

Note: Warranty and Qualifications can vary per item, see technical data sheets (TDS) for specific information. • Not all product variations listed are DLC® qualified. Visit [www.designlights.org/search](https://www.designlights.org/search) to confirm qualification. • Published lumens on LED products are approximate and may vary slightly. • Specifications are subject to change without notice. • Photos and drawings may not be to scale and are for general reference only.

## PRODUCT ORDERING DETAILS

### DYNAMO 4 PRO STADIUM FLOOD LIGHT (300W-400W-500W-600W, 20D)

SKU NUMBER	DESCRIPTION	BEAM ANGLE	DLC	EFFICACY	SPEC SHEET
662187512228	DYNAMO 4 PRO SFL: 625.1W / 46296-61728-77160-96464LM / 4000K / 120-277V / BLACK	20°	•	154.32lm/W	<a href="#">View / Download</a>
662187512259	DYNAMO 4 PRO SFL: 625.6W / 46569-62092-77615-97104LM / 5000K / 120-277V / BLACK	20°	•	155.23lm/W	<a href="#">View / Download</a>
662187512273	DYNAMO 4 PRO SFL: 626W / 46842-62456-78070-97744LM / 5700K / 120-277V / BLACK	20°	•	156.14lm/W	<a href="#">View / Download</a>
662187512280	DYNAMO 4 PRO SFL: 597.1W / 46476-61968-77460-92507LM / 4000K / 277-480V / BLACK	20°	•	154.92lm/W	<a href="#">View / Download</a>
662187512297	DYNAMO 4 PRO SFL: 597.5W / 46752-62336-77920-93113LM / 5000K / 277-480V / BLACK	20°	•	155.84lm/W	<a href="#">View / Download</a>
662187512303	DYNAMO 4 PRO SFL: 597.9W / 47025-62700-78375-93718LM / 5700K / 277-480V / BLACK	20°	•	156.75lm/W	<a href="#">View / Download</a>

### DYNAMO 4 PRO STADIUM FLOOD LIGHT (750W-1000W-1200W, 20D)

SKU NUMBER	DESCRIPTION	BEAM ANGLE	DLC	EFFICACY	SPEC SHEET
662187511566	DYNAMO 4 PRO SFL: 750W-1000W-1200W / 98250-131000-157200LM / 4000K / 120-277V / BLACK	20°		131lm/W	<a href="#">View / Download</a>
662187512419	DYNAMO 4 PRO SFL: 1192.2W / 108352.5-144470-172240LM / 5000K / 120-277V / BLACK	20°	•	144.47lm/W	<a href="#">View / Download</a>
662187512426	DYNAMO 4 PRO SFL: 1192.3W / 108870-145160-173069LM / 5700K / 120-277V / BLACK	20°	•	145.16lm/W	<a href="#">View / Download</a>
662187512440	DYNAMO 4 PRO SFL: 1147.3W / 111622.5-148830-170752LM / 4000K / 277-480V / BLACK	20°	•	148.83lm/W	<a href="#">View / Download</a>
662187512457	DYNAMO 4 PRO SFL: 1147.2W / 112072.5-149430-171413LM / 5000K / 277-480V / BLACK	20°	•	149.43lm/W	<a href="#">View / Download</a>
662187512464	DYNAMO 4 PRO SFL: 1147W / 112515-150020-172073LM / 5700K / 277-480V / BLACK	20°	•	150.02lm/W	<a href="#">View / Download</a>

### DYNAMO 4 PRO STADIUM FLOOD LIGHT (300W-400W-500W-600W, 30D)

SKU NUMBER	DESCRIPTION	BEAM ANGLE	DLC	EFFICACY	SPEC SHEET
662187512310	DYNAMO 4 PRO SFL: 625W / 46401-61868-77335-96668LM / 4000K / 120-277V / BLACK	30°	•	154.67lm/W	<a href="#">View / Download</a>
662187511542	DYNAMO 4 PRO SFL: 624.6W / 46545-62060-77575-96904LM / 5000K / 120-277V / BLACK	30°	•	155.15lm/W	<a href="#">View / Download</a>
662187512327	DYNAMO 4 PRO SFL: 624.2W / 46686-62248-77810-97140LM / 5700K / 120-277V / BLACK	30°	•	155.62lm/W	<a href="#">View / Download</a>
662187512334	DYNAMO 4 PRO SFL: 601.1W / 48042-64056-80070-96254LM / 4000K / 277-480V / BLACK	30°	•	160.14lm/W	<a href="#">View / Download</a>
662187511559	DYNAMO 4 PRO SFL: 601.4W / 48198-64264-80330-96627LM / 5000K / 277-480V / BLACK	30°	•	160.66lm/W	<a href="#">View / Download</a>
662187512341	DYNAMO 4 PRO SFL: 601.8W / 48261-64348-80435-96813LM / 5700K / 277-480V / BLACK	30°	•	160.87lm/W	<a href="#">View / Download</a>

### DYNAMO 4 PRO STADIUM FLOOD LIGHT (750W-1000W-1200W, 30D)

SKU NUMBER	DESCRIPTION	BEAM ANGLE	DLC	EFFICACY	SPEC SHEET
662187512471	DYNAMO 4 PRO SFL: 1191.4W / 108832.5-145110-172889LM / 4000K / 120-277V / BLACK	30°	•	145.11lm/W	<a href="#">View / Download</a>
662187507552	DYNAMO 4 PRO SFL: 1191.5W / 108870-145160-172953LM / 5000K / 120-277V / BLACK	30°	•	145.16lm/W	<a href="#">View / Download</a>
662187512488	DYNAMO 4 PRO SFL: 1191.5W / 108907.5-145210-173018LM / 5700K / 120-277V / BLACK	30°	•	145.21lm/W	<a href="#">View / Download</a>
662187512495	DYNAMO 4 PRO SFL: 1146.7W / 111952.5-149270-171165LM / 4000K / 277-480V / BLACK	30°	•	149.27lm/W	<a href="#">View / Download</a>
662187507569	DYNAMO 4 PRO SFL: 1147.2W / 112275-149700-171735LM / 5000K / 277-480V / BLACK	30°	•	149.7lm/W	<a href="#">View / Download</a>
662187512501	DYNAMO 4 PRO SFL: 1147.7W / 112597.5-150130-172306LM / 5700K / 277-480V / BLACK	30°	•	150.13lm/W	<a href="#">View / Download</a>

## PRODUCT ORDERING DETAILS

### DYNAMO 4 PRO STADIUM FLOOD LIGHT (300W-400W-500W-600W, 40D)

SKU NUMBER	DESCRIPTION	BEAM ANGLE	DLC	EFFICACY	SPEC SHEET
662187512358	DYNAMO 4 PRO SFL: 624.9W / 47097-62796-78495-98099LM / 4000K / 120-277V / BLACK	40°	•	156.99lm/W	<a href="#">View / Download</a>
662187512365	DYNAMO 4 PRO SFL: 625W / 47349-63132-78915-98640LM / 5000K / 120-277V / BLACK	40°	•	157.83lm/W	<a href="#">View / Download</a>
662187512372	DYNAMO 4 PRO SFL: 625.1W / 47598-63464-79330-99182LM / 5700K / 120-277V / BLACK	40°	•	158.66lm/W	<a href="#">View / Download</a>
662187512389	DYNAMO 4 PRO SFL: 598.1W / 47505-63340-79175-94710LM / 4000K / 277-480V / BLACK	40°	•	158.35lm/W	<a href="#">View / Download</a>
662187512396	DYNAMO 4 PRO SFL: 598.6W / 47760-63680-79600-95296LM / 5000K / 277-480V / BLACK	40°	•	159.2lm/W	<a href="#">View / Download</a>
662187512402	DYNAMO 4 PRO SFL: 599.1W / 48015-64020-80025-95883LM / 5700K / 277-480V / BLACK	40°	•	160.05lm/W	<a href="#">View / Download</a>

### DYNAMO 4 PRO STADIUM FLOOD LIGHT (750W-1000W-1200W, 40D)

SKU NUMBER	DESCRIPTION	BEAM ANGLE	DLC	EFFICACY	SPEC SHEET
662187512518	DYNAMO 4 PRO SFL: 1193.7W / 110175-146900-175349LM / 4000K / 120-277V / BLACK	40°	•	146.9lm/W	<a href="#">View / Download</a>
662187512525	DYNAMO 4 PRO SFL: 1194.2W / 110760-147680-176363LM / 5000K / 120-277V / BLACK	40°	•	147.68lm/W	<a href="#">View / Download</a>
662187512532	DYNAMO 4 PRO SFL: 1194.8W / 111345-148460-177377LM / 5700K / 120-277V / BLACK	40°	•	148.46lm/W	<a href="#">View / Download</a>
662187512549	DYNAMO 4 PRO SFL: 1146.6W / 112522.5-150030-172021LM / 4000K / 277-480V / BLACK	40°	•	150.03lm/W	<a href="#">View / Download</a>
662187512556	DYNAMO 4 PRO SFL: 1146.4W / 112830-150440-172470LM / 5000K / 277-480V / BLACK	40°	•	150.44lm/W	<a href="#">View / Download</a>
662187512563	DYNAMO 4 PRO SFL: 1146.3W / 113137.5-150850-172918LM / 5700K / 277-480V / BLACK	40°	•	150.85lm/W	<a href="#">View / Download</a>

## ACCESSORIES

### INCLUDED IN THE BOX

SKU NUMBER	PRODUCT CODE	DESCRIPTION	SPEC SHEET
662187512594	IK-ACC-SP06B-300W/400W/500W/600W-FM	FLOOD MOUNTING BRACKET (300W-400W-500W-600W)	<a href="#">View / Download</a>
662187507651	IK-ACC-SP06B-750/1000/1200W-FM	FLOOD MOUNTING BRACKET (750W-1000W-1200W)	<a href="#">View / Download</a>
662187512570	IK-ACC-SP06B-300W/400W/500W/600W-SH	SHIELD (300W-400W-500W-600W)	<a href="#">View / Download</a>
662187512570	IK-ACC-SP06B-750/1000/1200W-SH	SHIELD (750W-1000W-1200W)	<a href="#">View / Download</a>
662187487625	IK-ACC-SPD-20KV-(100-277V)	SURGE PROTECTION 20KV (100-277V)	<a href="#">View / Download</a>
662187488516	IK-ACC-SPD-20KV-(277-480V)	SURGE PROTECTION 20KV (277-480V)	<a href="#">View / Download</a>

## ACCESSORIES

### SOLD SEPARATELY

SKU NUMBER	PRODUCT CODE	DESCRIPTION	SPEC SHEET
662187512594	IK-ACC-SP06B-300W/400W/500W/600W-FM	FLOOD MOUNTING BRACKET (300W-400W-500W-600W)	<a href="#">View / Download</a>
662187507651	IK-ACC-SP06B-750/1000/1200W-FM	FLOOD MOUNTING BRACKET (750W-1000W-1200W)	<a href="#">View / Download</a>
662187487946	IK-ACC-SP06B-300-1200-SF	SLIP FITTER MOUNTING BRACKET	<a href="#">View / Download</a>

## ACCESSORIES

### SOLD SEPARATELY

SKU NUMBER	PRODUCT CODE	DESCRIPTION	SPEC SHEET
662187512570	IK-ACC-SP06B-300W/400W/500W/600W-SH	SHIELD (300W-400W-500W-600W)	<a href="#">View / Download</a>
662187507743	IK-ACC-SP06B-750/1000/1200W-SH	SHIELD (750W-1000W-1200W)	<a href="#">View / Download</a>
662187482231	IK-PHC-3PIN-AC100-277V	PHOTOCELL (3 PIN) AC100-277V	<a href="#">View / Download</a>
662187540160	IK-PHC-5PIN-AC100-277V	PHOTOCELL (5 PIN) AC100-277V	<a href="#">View / Download</a>
662187540177	IK-PHC-7PIN-AC100-277V	PHOTOCELL (7 PIN) AC100-277V	<a href="#">View / Download</a>
662187487663	IK-PHC-3PIN-AC277-480V	PHOTOCELL (3 PIN) 277-480V	<a href="#">View / Download</a>
662187487717	IK-PHC-5PIN-AC277-480V	PHOTOCELL (5 PIN) 277-480V	<a href="#">View / Download</a>
662187487724	IK-PHC-7PIN-AC277-480V	PHOTOCELL (7 PIN) 277-480V	<a href="#">View / Download</a>
662187483634	IK-PHC-3PIN-SOCKET-0-480V	PHOTOCELL (3 PIN) SOCKET AC 0-480V	<a href="#">View / Download</a>
662187483641	IK-PHC-5PIN-SOCKET-0-480V	PHOTOCELL (5 PIN) SOCKET AC 0-480V	<a href="#">View / Download</a>
662187487755	IK-PHC-7PIN-SOCKET-0-480V	PHOTOCELL (7 PIN) SOCKET AC 0-480V	<a href="#">View / Download</a>
662187486543	IK-ACC-SPD-10KV-(100-277V)	SURGE PROTECTION 10KV	<a href="#">View / Download</a>
662187487625	IK-ACC-SPD-20KV-(100-277V)	SURGE PROTECTION 20KV	<a href="#">View / Download</a>
662187507637	IK-ACC-SPD-10KV-(277-480V)	SURGE PROTECTION 10KV	<a href="#">View / Download</a>
662187488516	IK-ACC-SPD-20KV-(277-480V)	SURGE PROTECTION 20KV	<a href="#">View / Download</a>

*\*Choice of one accessory: Mounting Bracket (Slip Fitter or Flood Mount—either one) is included with the order. Contact your IKIO sales representative to buy replacement/additional Mounting Bracket.*