



Lior

LINEAR HIGH BAY (CCT & POWER SELECTABLE)



CCT & Power Selectable



5 Year Warranty
(Extendable up to 10 years)



UL US LISTED



Not all product variations listed on this page are DLC qualified. Visit <https://www.designlights.org/qpl> to confirm qualification.

IKIO's Lior Linear High Bay comes with CCT and power selectable capability, making it not only an energy-efficient alternative to traditional fluorescent lights but also a high-performance lighting solution with better control. This flexibility allows the luminaire to fit into a variety of lighting applications while using fewer SKUs. Suggested mounting heights are between 15-25 feet. With features like high light output, smooth color rendering, and dimming, Lior might be just what you are looking for superior illumination of your industrial and commercial spaces.

Applications: Large Warehouses, Manufacturing Facilities, Athletic Facilities, Workshops, Auditoriums, Airport Hangars

FEATURES

- Increased flexibility and ease with **IKIO's CCT Selectable & Power Selectable** features.
- **High Efficacy** fixture with Exceptional Luminance, resulting in soft and uniform lighting that is also safe for the eyes.
- **0-10 V Seamless Dimming** function, allowing adjustment of the brightness of light.
- **Surge Protected (6 kV) and Long Lasting** with rugged iron & aluminum housing and polycarbonate lens.
- **Sleek, low-profile luminaire** that supports instant start (no flickering or humming).

Note: Warranty and Qualifications can vary per item, see technical data sheets (TDS) for specific information. • Not all product variations listed are DLC® qualified. Visit www.designlights.org/search to confirm qualification. • Published lumens on LED products are approximate and may vary slightly. • Specifications are subject to change without notice. • Photos and drawings may not be to scale and are for general reference only.

PRODUCT ORDERING DETAILS

LIOR LINEAR HIGH BAY - 120-277 V

SKU NUMBER	DESCRIPTION	DLC	EFFICACY	SPEC SHEET
662187487021	LIOR LHB: 200-240-320-400 W / 30000-36000-48000-60000 LM / 40-50 K / 120-277 V / WHITE		150 lm/W	View / Download
662187540382	LIOR LHB: 320.7 W / 30696.6-41161.35-44751 LM / 40-50 K / 120-277 V / WHITE	•	139.53 lm/W	View / Download
662187540375	LIOR LHB: 400-500-600 W / 61781.4-72156.7-83645.8 LM / 40-50 K / 120-277 V / WHITE		147.27 lm/W	View / Download

LIOR LINEAR HIGH BAY - 277-480 V WITHOUT SENSOR

SKU NUMBER	DESCRIPTION	DLC	EFFICACY	SPEC SHEET
662187488462	LIOR LHB: 110-130-160 W / 16940-20020-24640 LM / 40-50 K / 277-480 V / WHITE / WITHOUT SENSOR		154 lm/W	View / Download

ACCESSORIES

INCLUDED IN THE BOX

SKU NUMBER	PRODUCT CODE	DESCRIPTION	SPEC SHEET
662187486000	IK-ACC-CHM	CHAIN MOUNT CABLE	View / Download

SOLD SEPARATELY

SKU NUMBER	PRODUCT CODE	DESCRIPTION	SPEC SHEET
662187482422	IK-LHBL2-EMB-16W	LED EMERGENCY DRIVER	View / Download
662187483993	IK-LHB3-PM	PENDANT MOUNTING	View / Download
662187484006	IK-LHB3-SM	SURFACE MOUNTING	View / Download
662187484013	IK-ACC-LHBL3-2FT-WG	WIRE GUARD FOR 2FT	View / Download
662187484020	IK-ACC-LHBL3-4FT-WG	WIRE GUARD FOR 4FT	View / Download
662187482309	IK-HB01DMS-A	MICROWAVE MOTION SENSOR	View / Download
662187482316	IK-HB03-R	SENSOR REMOTE	View / Download

*Choice of one accessory: Mounting Bracket (Pendant Mount or Surface Mount) is included with the order. Contact your IKIO sales representative to buy replacement/additional Mounting Bracket.

Note: Warranty and Qualifications can vary per item, see technical data sheets (TDS) for specific information. • Not all product variations listed are DLC® qualified. Visit www.designlights.org/search to confirm qualification. • Published lumens on LED products are approximate and may vary slightly. • Specifications are subject to change without notice. • Photos and drawings may not be to scale and are for general reference only.